

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**NOT AVAILABLE COPY****Search Results -**

Terms	Documents
L10 and (sems\$3 or detect\$3)	11

Database:

US Patents Full-Text Database
 US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L11

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History****DATE:** Friday, May 02, 2003[Printable Copy](#)[Create Case](#)

Set Name Query
side by side

Hit Count Set Name
result set

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L11</u>	L10 and (sems\$3 or detect\$3)	11	<u>L11</u>
<u>L10</u>	L6 and (swimming adj pool)	11	<u>L10</u>
<u>L9</u>	L8 and (sens\$3 or detect\$3)	22	<u>L9</u>
<u>L8</u>	L7 and (water or liquid)	23	<u>L8</u>
<u>L7</u>	L6 and (pool or spa)	23	<u>L7</u>
<u>L6</u>	LEDs and (variable adj color)	294	<u>L6</u>
<u>L5</u>	L4 and ((315/\$)!.CCLS.)	17	<u>L5</u>
<u>L4</u>	L1 and color and red and blue and green and radiat\$3	63	<u>L4</u>
<u>L3</u>	L2 and radiation	18	<u>L3</u>
<u>L2</u>	L1 and (variable adj color)	18	<u>L2</u>
<u>L1</u>	LEDs and (\$controllor or \$processor) and sensor and (pool or spa) and (water or liquid)	731	<u>L1</u>

WEST

Help

Logout

Interrupt

Main Menu

Search Form

Posting Counts

Show 8 Numbers

Edit 8 Numbers

Preferences

Cases

BEST AVAILABLE COPY**Search Results -**

Terms	Documents
4305117.pn.	4

Database:

US Patents Full-Text Database
 US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L9

Refine Search

Recall Text

Clear

Search History
DATE: Friday, May 02, 2003 [Printable Copy](#) [Create Case](#)
Set Name Query
 side by side

Hit Count Set Name
 result set

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L9</u>	4305117.pn.	4	<u>L9</u>
<u>L8</u>	5301090.pn.	2	<u>L8</u>
<u>L7</u>	(swimming adj pool) and (light adj source) and (vari\$3 adj color)	20	<u>L7</u>
<u>L6</u>	L5	58	<u>L6</u>
<u>L5</u>	(swimming adj pool) and (light adsj source) and (vari\$3 adj color)	58	<u>L5</u>
<u>L4</u>	L3 and (vari\$3 adj color)	19	<u>L4</u>
<u>L3</u>	L2 and controller	160	<u>L3</u>
<u>L2</u>	L1 and (light adj emitting adj diode)	278	<u>L2</u>
<u>L1</u>	(pool or spa) and (light adj source) and (sens\$3 or detect\$3) and (water or liquid)	1547	<u>L1</u>

END OF SEARCH HISTORY

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results -****BEST AVAILABLE COPY**

Terms	Documents
L6 and (light adj source)	6

Database:

US Patents Full-Text Database
 US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L7

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History**
DATE: Friday, May 02, 2003
[Printable Copy](#)
[Create Case](#)
Set Name Query
 side by side

Hit Count Set Name
 result set

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L7</u>	L6 and (light adj source)	6	<u>L7</u>
<u>L6</u>	(detectable adj conditions) and (pool or spa) and (sensor or detector)	12	<u>L6</u>
<u>L5</u>	L3 and (var\$3 adj color)	33	<u>L5</u>
<u>L4</u>	L3 and (variable adj color)	18	<u>L4</u>
<u>L3</u>	L1 and condition	475	<u>L3</u>
<u>L2</u>	L1 and (detectable adj condition)	6	<u>L2</u>
<u>L1</u>	(pool or spa) and (detect\$3 or sens\$3) and (light adj source) and LEDs	557	<u>L1</u>

END OF SEARCH HISTORY

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results -****BEST AVAILABLE COPY**

Terms	Documents
L9 and ((362/\$)!.CCLS.)	17

Database:

US Patents Full-Text Database
 US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L10

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History**
DATE: Friday, May 02, 2003
[Printable Copy](#)
[Create Case](#)
Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L10</u>	L9 and ((362/\$)!.CCLS.)	17	<u>L10</u>
<u>L9</u>	L8 and LEDs	450	<u>L9</u>
<u>L8</u>	(pool or spa) and (sensor or detector) and (light adj source)	1396	<u>L8</u>
<u>L7</u>	L6 and (light adj source)	6	<u>L7</u>
<u>L6</u>	(detectable adj conditions) and (pool or spa) and (sensor or detector)	12	<u>L6</u>
<u>L5</u>	L3 and (var\$3 adj color)	33	<u>L5</u>
<u>L4</u>	L3 and (variable adj color)	18	<u>L4</u>
<u>L3</u>	L1 and condition	475	<u>L3</u>
<u>L2</u>	L1 and (detectable adj condition)	6	<u>L2</u>
<u>L1</u>	(pool or spa) and (detect\$3 or sens\$3) and (light adj source) and LEDs	557	<u>L1</u>